

Selection of Outstanding Students Using AHP and Profile Matching

Muhammad Haris Nasri^{1*}, Rifqi Hammad², Pahrul Irfan³

^{1*} Information Technology, Universitas Bumigora, Mataram, Indonesia

² Software Engineering, Universitas Bumigora, Mataram, Indonesia

³ Application Software Engineering, Universitas Bumigora, Mataram, Indonesia

ARTICLE INFORMATION

Artikel History:

Received: February 13, 2024

Revised: March 18, 2024

Accepted: March 20, 2024

Keyword:

Selection
Outstanding Student
Decision Support System
AHP
Profile Matching

ABSTRACT

The determination of outstanding students is the giving of awards to those who excel in academic and non-academic fields, aimed at motivating increased achievement. However, this process is often hampered by various criteria that must be considered, such as English language skills, work results, awards, and so on. The solution offered to overcome this problem is the development of a decision support system for selecting outstanding students using the AHP and Profile Matching methods. So, the aim of this research is to develop a decision support system for selecting outstanding students using a combination of the AHP and Profile matching methods, where later the system developed can assist decision makers in determining outstanding students. The results obtained from this research are a decision support system that uses 8 criteria and 26 alternative sample data which shows that "Student F" is an outstanding student with a score of 4.09. The results of manual calculations with the system show similarities, which shows that the system developed is in accordance with expectations.

Corresponding Author:

Muhammad Haris Nasri,
Information Technology,
Universitas Bumigora,
Jl. Ismail Marzuki No 22 Cakranegara, Mataram, Indonesia, 83127
Email: m.harisnasri@universitasbumigora.ac.id

INTRODUCTION

Determining outstanding students is an effort to give awards to students who have excelled in academic and non-academic fields. This effort can also motivate students to improve their achievements. Currently, there are still several obstacles to determining outstanding students in decision making. These obstacles are caused by many criteria that are taken into consideration in making decisions such as English language skills, work results, awards received, competitions participated in and so on (Matindas et al., 2021). Therefore, a system is needed that can assist decision makers in determining outstanding students so that the results obtained are more objective and accurate.

A decision support system is a system used to assist in decision making (Setiawan & Budilaksono, 2022). Decision support systems have several methods such as the analytical hierarchy process (AHP) method (Masnuryatie & Triyono, 2022), Profile Matching (Siagian, 2020) and so on. AHP is a decision-making method that can be used to solve complex problems (Pambudi et al., 2021) (Rohmat & Kusrini, 2021).

Meanwhile, profile matching is a method that can be used in decision support systems, where this method looks for the gap value between what is desired and what is available (Gustiana & Nia Sari, 2021) (Suarnatha, 2023).

In solving the problem of determining outstanding students, researchers will combine the Analytical Hierarchy Process (AHP) and Profile Matching methods as methods for decision making. The AHP method is used to determine the weight of the criteria used in selecting outstanding students, while the Profile Matching method is used to select alternative outstanding students based on predetermined criteria. The criteria used in this research refer to the criteria of the Guidebook for Selection of Outstanding Students in 2021 (Matindas et al., 2021) such as organizational career, awards received, work results and so on.

There are several previous studies related to the topic under study, such as research conducted by Katili et al in 2021. This research discusses the selection of outstanding students using the AHP and TOPSIS methods. The results of this research are

DOI: <https://doi.org/10.31294/p.v26i1.3189>



recommendations for which outstanding students will be selected (Katili et al., 2021). Another research is research conducted by Khasanah et al. This research focuses on developing a decision support system for determining outstanding graduate students using the AHP method (Khasanah et al., 2020). The next research is research conducted by Kurniawan et al. This research focuses on comparing methods in selecting outstanding students using the AHP, Electre and TOPSIS methods (Kurniawan et al., 2019). Another research was conducted by Siagian, in which the research applied the profile matching method in determining outstanding students (Siagian, 2020). And there are still other studies such as research by (Fadhiah et al., 2023), (Malahayati et al., 2023), (Ikmah & Widawati, 2021), (Satrio et al., 2022) and others.

The difference between the research carried out and the previous one is that the research that will be carried out combines the AHP and Profile Matching methods in determining outstanding students with criteria referring to the guidebook for outstanding students in 2021 plus English language skills. The aim of this research is to develop a decision support system that applies the AHP method and profile matching in providing recommendations for determining outstanding students. With this research, it is hoped that decision making can be easier and more objective in determining outstanding students.

RESEARCH METHOD

In this research, there are two decision support system methods used, namely AHP and Profile Matching. The AHP method is used for weighting (Nata & Apridonah, 2020) and the Profile matching method for ranking (Fauzi et al., 2021) In the combination of these two methods, several stages were carried out in this research. These stages can be seen in Figure 1.

Figure 1 shows the research stages carried out in this study. The figure shows several stages starting from data collection, AHP (determining the level of importance between criteria, determining the comparison matrix, calculating eigenvalues, calculating CI and CR values), profile matching process (determining the target value for each criterion, determining the criteria values for each alternative, gap mapping, gap calculation), total value calculation, ranking.

1. Data Collection
The data collected in this research is criteria data and alternative data.
2. AHP Process
AHP in this study was used for weighting. In this research, the AHP stages carried out were determining the level of importance between criteria, determining the comparison matrix, calculating eigenvalues, calculating CI and CR values. The CR value must be less than 0.1, if it is more than the process will be repeated starting

from determining the level of importance between criteria (Jufani et al., 2023).




Figure 1. Research Stages

3. Profile Matching Process
Profile Matching in this study was used to carry outranking. In this research, the profile matching stages carried out were determining the target value for each criterion, determining the criterion value for each alternative, gap mapping, gap calculation.
4. Calculation of Total Value
After getting the weight value of the criteria using AHP and the value of each alternative using the Profile Matching method. The next stage is to calculate the alternative value with the criteria weight values and then add them up to get the total value.
5. Ranking
The results of calculating the total value are then sorted from the highest value to get a ranking of alternative values.

RESULTS AND DISCUSSION

This research applies a combination of the AHP Decision Support System and Profile Matching

methods in developing a decision support system for determining outstanding students. This research uses data in the form of criteria and alternative data. The criteria data used in this research can be seen in Table 1.

Table 1. Data Criteria

Code	Criteria
C1	Competition
C2	Confession
C3	Award
C4	Organizational Career
C5	Masterpiece
C6	Empowerment
C7	Entrepreneurship
C8	English Language Ability

Table 1 shows the 8 criteria used in this research. Apart from criteria data, the data needed is alternative data. There is an alternative used in this research, namely sample data as shown in Table 2.

Table 2. Data Alternative

Code	Alternative
A1	Student A
A2	Student B
A3	Student C
A4	Student D
A5	Student E
A6	Student F
.....
A26	Student Z

Table 2. Shows alternative data used in this research. This research uses 26 alternative data. After the data collection stage, the next stage is the stage of determining the level of importance between criteria based on the AHP process. The level of importance of the criteria used in this research uses Levels 1-9 (Sudiarjo & Hikmatyar, 2022). The level of importance of each criterion used in this research can be seen in Table 3.

Table 3. Level of Importance Between Criteria

Criteria	C1	C2	C3	C4	C5	C6	C7	C8
C1	1,00	2,00	2,00	2,00	1,00	1,00	2,00	2,00
C2	0,50	1,00	2,00	1,00	2,00	2,00	1,00	3,00
C3	0,50	0,50	1,00	1,00	2,00	2,00	2,00	2,00
C4	0,50	1,00	1,00	1,00	2,00	2,00	0,50	1,00
C5	1,00	0,50	0,50	0,50	1,00	2,00	2,00	2,00
C6	1,00	0,50	0,50	0,50	0,50	1,00	1,00	1,00
C7	0,50	1,00	0,50	2,00	0,50	1,00	1,00	1,00
C8	0,50	0,33	0,50	1,00	0,50	1,00	1,00	1,00
	5,50	6,83	8,00	9,00	9,50	12,00	10,50	13,00

Table 3 shows the level of importance between criteria. The next stage is to create a normalization matrix. The results of the normalization matrix can be seen in Table 4.

Table 4. Shows the results of matrix normalization. After getting the normalization results, an eigenvalue search is carried out. The eigenvalue is obtained from the total value by multiplying the average value by the total value of each criterion in the

comparison matrix. In this study, the maximum Eigen value was obtained at 8.64.

Table 4. Normalization Matrix

Criteria	C1	C2	C3	C4	C5	C6	C7	C8
C1	0,18	0,29	0,25	0,22	0,11	0,08	0,19	0,15
C2	0,09	0,15	0,25	0,11	0,21	0,17	0,10	0,23
C3	0,09	0,07	0,13	0,11	0,21	0,17	0,19	0,15
C4	0,09	0,15	0,13	0,11	0,21	0,17	0,05	0,08
C5	0,18	0,07	0,06	0,06	0,11	0,17	0,19	0,15
C6	0,18	0,07	0,06	0,06	0,05	0,08	0,10	0,08
C7	0,09	0,15	0,06	0,22	0,05	0,08	0,10	0,08
C8	0,09	0,05	0,06	0,11	0,05	0,08	0,10	0,08
	1	1	1	1	1	1	1	1

The average value which is the priority value for each criterion in this research can be seen in Table 5.

Tabel 5. Priority Value

Criteria	Priority
C1	0,184955
C2	0,162695
C3	0,140213
C4	0,121887
C5	0,123662
C6	0,085146
C7	0,103762
C8	0,077678

Table 5 shows the priority value for each criterion that has been obtained. The next stage is to calculate the CI value. To calculate the CI value, use Equation 1.

$$CI = \frac{Maks \lambda - n}{n - 1} \quad (1)$$

Information:

Max λ = Maximum Eigenvalue

n = Number of Criteria

In this study, the CI value was 0.0919. The CI value is then used to find the CR value. The CR value is obtained from the CI value divided by the IR value, where the IR is obtained from the IR value provisions table (Oktapiani et al., 2020). Based on this table, the IR value in this research is 1.41 because the number of criteria used in this research is 8. So, the CR value in this research is 0.065, which is below 0.1, which means that the priority value or weight of each criterion can be declared consistent.

After getting the weight value for each criterion and a CR value of less than 0.1, the next stage is determining the target value for each criterion. The target values for each criterion can be seen in Table 6.

Tabel 6. Target Value

Criteria	Target Value
C1	5
C2	5
C3	5
C4	5
C5	5
C6	5
C7	5
C8	5

Table 6 shows the target value of each criterion. The next stage is to assign a value to each alternative for each criterion and then look for the gaps.

The results of the gap are then converted using the profile matching conversion method (Fahmi et al., 2019). The conversion results can be seen in Table 7.

Table 7. Profile Matching Conversion Results

Alternative	C1	C2	C3	C4	C5	C6	C7	C8
A1	4	3	3	3	3	3	3	4,5
A2	3	3	3,5	4,5	2	3	1	2
A3	2	1	3,5	4	2	2	1	2
A4	1	4	3	5	5	3	4	4
A5	2	5	3,5	2	4	3	3	5
A6	4	5	3,5	4,5	4	3	5	3
A7	1	5	4,5	2	3	4	2	2
A8	2	1	3	2	2	1	2	4,5
A9	2	5	4	5	2	5	2	5
A10	3	5	3,5	3	5	3	2	3
A11	2	3	4	5	3	2	3	4,5
A12	3	5	4,5	5	2	1	1	2
A13	5	2	3,5	2	5	1	2	4,5
A14	1	2	4	3	4,5	2	3	4,5
A15	1	5	3,5	4,5	2	2	5	5
A16	1	4	4,5	3	4,5	2	5	2
A17	3	4	4	5	4	5	4	4,5
A18	3	5	4,5	4	3	2	1	4
A19	5	2	3,5	4	2	4	2	2
A20	1	4	3	3	2	1	5	2
A21	3	3	3	2	3	4	4	5
A22	2	4	4	5	5	4	2	4,5
A23	4	3	3	3	3	1	5	4
A24	1	3	4,5	4	2	1	4	4
A25	5	4	5	4,5	4,5	2	1	5
A26	2	4	3	4,5	2	1	3	4,5

Table 7 shows the conversion results of the gaps obtained from profile matching. The next stage is the total value calculation stage where the total value is obtained from multiplying the gap conversion value with the weight value of each criterion from the AHP process which is then totaled to obtain the total value

for each alternative. The total value is then sorted based on the highest value to get the ranking. The results of calculating the profile matching conversion value multiplied by the AHP weight value can be seen in Figure 2.

No	Alternative	Competition	Confession	Award	Organizational Career	Masterpiece	Empowerment	Entrepreneurship	English Language Ability	Number of weights
A1	Student A	0,740	0,488	0,421	0,366	0,371	0,255	0,311	0,350	3,301
A2	Student B	0,555	0,488	0,491	0,548	0,247	0,255	0,104	0,155	2,844
A3	Student C	0,370	0,163	0,491	0,488	0,247	0,170	0,104	0,155	2,188
A4	Student D	0,185	0,651	0,421	0,609	0,618	0,255	0,415	0,311	3,465
A5	Student E	0,370	0,813	0,491	0,244	0,495	0,255	0,311	0,388	3,368
A6	Student F	0,740	0,813	0,491	0,548	0,495	0,255	0,519	0,233	4,094
A7	Student G	0,185	0,813	0,631	0,244	0,371	0,341	0,208	0,155	2,948
A8	Student H	0,370	0,163	0,421	0,244	0,247	0,085	0,208	0,350	2,087
A9	Student I	0,370	0,813	0,561	0,609	0,247	0,426	0,208	0,388	3,623
A10	Student J	0,555	0,813	0,491	0,366	0,618	0,255	0,208	0,233	3,539
A11	Student K	0,370	0,488	0,561	0,609	0,371	0,170	0,311	0,350	3,230

Figure 2. Profile Matching and AHP Calculation Results

Figure 2 shows the calculation results obtained from profile matching and AHP. The results of these calculations are then sorted based on the highest total score to obtain data on the students with the most achievements according to the criteria and data provided. The ranking results can be seen in Figure 3.

Alternative Final Value, Based on AHP and PM Weights

Rank	Code	Name	Bobot
1	A6	Student F	4,094469845
2	A17	Student Q	4,060917318
3	A25	Student Y	4,044041777
4	A22	Student V	3,706953093
5	A9	Student I	3,622647593
6	A10	Student J	3,539058937
7	A4	Student D	3,465323762
8	A18	Student R	3,442604826
9	A5	Student E	3,367673541
10	A15	Student O	3,362490248

Figure 3. Ranking Result

Figure 3 shows the results of the ranking obtained, from which it was found that the student with the highest score was "Student F" with a score of 4.09. The ranking results shown are in accordance with the results of manual calculations carried out using the same data.

CONCLUSION

Based on the results of the research conducted, it was found that the decision support system for selecting outstanding students using a combination of AHP and Profile Matching methods was successfully developed. From this system it was found that the highest score obtained was 4.09 for "Student F". The test results carried out by comparing the results of the system with manual calculations show that the results of the system are in accordance with manual calculations. The suggestion for further research is that each criterion used needs to be made more complex so that the results obtained are more detailed. Apart from that, it is also necessary to combine methods with others to find out which one is better.

REFERENCES

Fadiyah, N., Jariah, R. N., & Suriyanto, D. F. (2023). Analisis Penentuan Mahasiswa Berprestasi Fakultas Teknik UNM Menggunakan Metode Fuzzy C-Means. *Jurnal Sistem Dan Teknologi Informasi (JustIN)*, 11(3). <https://doi.org/10.26418/justin.v11i3.66167>

Fahmi, I., Kurnia, F., & E.S.Mige, G. (2019). Perancangan Sistem Promosi Jabatan Menggunakan Kombinasi Analytical Hierarchy Process (AHP) dan Profile Matching (PM). *Jurnal SPEKTRO*, 2(1).

Fauzi, I. F., Rahmatulloh, A., & Nurachman, A. (2021). Sistem Pendukung Keputusan Untuk Menentukan Rekomendasi Wisata Dengan Menggunakan Metode Profile Matching dan SMART. *Informatics and Digital Expert (INDEX)*, 2(2). <https://doi.org/10.36423/index.v2i02.588>

Gustiana, Z., & Nia Sari, A. (2021). Sistem Pendukung Keputusan Penentuan Kelulusan Mahasiswa Menggunakan Kombinasi Algoritma C 4.5 dan Profile Matching. *Jurnal Teknologi Informasi Universitas Lambung Mangkurat (JTIULM)*, 6(2). <https://doi.org/10.20527/jtiulm.v6i2.84>

Ikmah, I., & Widawati, A. S. (2021). Sistem Pendukung Keputusan Penentuan Beasiswa Mahasiswa Berprestasi Menggunakan Metode TOPSIS. *CSRID (Computer Science Research and Its Development Journal)*, 12(1). <https://doi.org/10.22303/csrid.12.1.2020.34-41>

Jufani, M. N., Zulfia Zahro', H., & Achmadi, S. (2023). Pengembangan Penentuan Sistem Pendukung Keputusan Penjurusan Siswa Di SMAN 1 Sanggar Menggunakan Metode Analytical Hierarchy Process (AHP) Dan Tecnique For Order Preference By Similarity To Ideal Solution (TOPSIS). *JATI (Jurnal Mahasiswa Teknik Informatika)*, 6(2). <https://doi.org/10.36040/jati.v6i2.5405>

Katili, M. Z., Amali, L. N., & Tuloli, M. S. (2021). Implementasi Metode AHP-TOPSIS dalam Sistem Pendukung Rekomendasi Mahasiswa Berprestasi. *Jambura Journal of Informatics*, 3(1). <https://doi.org/10.37905/jji.v3i1.10246>

Khasanah, A. N., Anugrah, C. S., & Syaikhuddin, M. miftakhul. (2020). Penerapan Sistem Penentuan Mahasiswa Lulusan Berprestasi Menggunakan Metode Ahp Berbasis Web. (*Jurnal Manajemen Informatika & Sistem Informasi*), 3(1).

Kurniawan, I. B., Candiasa, I. M., & Aryanto, K. Y. E. (2019). Sistem Pendukung Keputusan Pemilihan Mahasiswa Berprestasi Di Universitas Dhyana Pura Menggunakan Metode AHP, Electre, Dan Topsis. *Jurnal Ilmu Komputer Indonesia*, 4(1).

Malahayati, Ade Sukma Wati, & Gina Agiyani. (2023). Pendekatan Fuzzy Logic Dalam Penentuan Mahasiswa Berprestasi Pada Fakultas Ilmu Komputer Universitas Sjakhyakirti. *JSAT (Journal Scientific and Applied Informatics)*, 6(2). <https://doi.org/10.36085/jsai.v6i2.5273>

Masnuryatie, M., & Triyono, G. (2022). SISTEM PENDUKUNG KEPUTUSAN PEMILIHAN SISWA SMP TERBAIK MENGGUNAKAN METODE AHP. *SKANIKA*, 5(1). <https://doi.org/10.36080/skanika.v5i1.2921>

- Matindas, W., Hardjono, S., Sailah, I., Masrukhi, Haryanto, Indrasti, N. S., Yondri, S., Aruan, D. A., Simanjuntak, T., Subekti, R., Yuwono, U., Wisnuadhi, B., Brida, L., Basuki, D. K., & Nurcahyo, R. (2021). *Pedoman Pemilihan Mahasiswa Berprestasi Program Sarjana Tahun 2021*. Kebudayaan, Pusat Prestasi Nasional Kementerian Pendidikan dan.
- Nata, A., & Apridonah, Y. (2020). KOMBINASI METODE AHP DAN MFEP DALAM UPAYA MENINGKATKAN KUALITAS PENERIMA BANTUAN SISWA MISKIN. *JURTEKSI (Jurnal Teknologi Dan Sistem Informasi)*, 6(2). <https://doi.org/10.33330/jurteks.v6i2.597>
- Oktapiani, R., Subakti, R., Sandy, M. A. L., Kartika, D. G. T., & Firdaus, D. (2020). PENERAPAN METODE ANALYTIC AL HIERARCHY PROCESS (AHP) UNTUK PEMILIHAN JURUSAN DI SMK DOA BANGSA PALABUHANRATU. *Swabumi*, 8(2). <https://doi.org/10.31294/swabumi.v8i2.7646>
- Pambudi, W. I., Izzatillah, M., & Solikhin, S. (2021). Sistem Pendukung Keputusan Pemilihan Karyawan Terbaik Menggunakan Metode AHP PT NGK Busi Indonesia. *Jurnal Riset Dan Aplikasi Mahasiswa Informatika (JRAMI)*, 2(01). <https://doi.org/10.30998/jrami.v2i01.925>
- Rohmat, M. A., & Kusriani. (2021). Penerapan Metode Analytical Hierarchy Process (AHP) Dalam Sistem Pendukung Keputusan Penilaian Kinerja Guru. *METIK JURNAL*, 5(1). <https://doi.org/10.47002/metik.v5i1.217>
- Satrio, D., Adriyana, R., Surendra, S., & Arsyida, W. (2022). Analytical Network Process sebagai Sistem Pendukung Keputusan Penentuan Mahasiswa Berprestasi. *Sudo Jurnal Teknik Informatika*, 1(3). <https://doi.org/10.56211/sudo.v1i3.81>
- Setiawan, Y., & Budilaksono, S. (2022). Sistem Pendukung Keputusan Pemilihan Mahasiswa Lulusan Terbaik Dengan Menggunakan Metode Multi Attribute Utility Theory (Maut) Di Stmik Antar Bangsa. *Jurnal IKRAITH-INFORMATIKA*, 6(2), 12–29.
- Siagian, E. R. (2020). Implementasi Metode Profile Matching untuk Penentuan Mahasiswa Berprestasi. *MEANS (Media Informasi Analisa Dan Sistem)*. <https://doi.org/10.54367/means.v5i1.752>
- Suarnatha, I. P. D. (2023). Sistem pendukung keputusan seleksi ketua bem menggunakan metode profile matching. *Journal of information system management (JOISM)*, 4(2). <https://doi.org/10.24076/joism.2023v4i2.952>
- Sudiarjo, A., & Hikmatyar, M. (2022). Kombinasi Metode Analytic Hierarchy Process dan Weighted Product pada Rekomendasi Pemilihan Tempat Kost. *JATISI (Jurnal Teknik Informatika Dan Sistem Informasi)*, 9(1). <https://doi.org/10.35957/jatisi.v9i1.1562>